



- D** **Bedienungs-**
anleitung 3
- GB** **Operating**
instructions 5

IE-CSM

8808400000





Features

The IE-CSM is designed to allow plugging several adapters side-by-side in adjacent patch panel or wall outlet jacks. Its flexible cable will distribute the strain in all directions. The electric features of this adapter allow its use in Class D cabling systems according to ISO IEC 11801.

Installation

The IE-CSM is always installed in pairs. On the distribution side the two services are connected to the installation line through the adapter. On the terminal side the adapter is connected to the wall outlet to collect and direct the services from the 8 wire line to the terminal devices.

The flexible adapter cable is distributing the strain of the connecting cables and patch cords acting upon the adapter.

8 wire installation cable

patch panel or module

Cable sharing Adapter


wall outlet

terminal device 1

terminal device 2

service 1

service 2



Hinweis:

Elektrische Sicherheit nach
EN 60950:2003

Ein Dienst pro Buchse.

SELV-Stromkreise uneingeschränkt
(Datennetze).

Installation durch Fachpersonal.

Note:

Electrical Safety per EN 60950:2003

One service per jack.

SELV circuits unrestricted
(data networks).

Installation by qualified personnel.

Weidmüller 

Weidmüller Interface
GmbH & Co. KG

Postfach 3030
32720 Detmold

Telefon +49 5231 14-0
Telefax +49 5231 14-2083

info@weidmueller.com
www.weidmueller.com

012005/200/01/BTR/899839-01